

Wires



Co2 wire



MIG-MAG Welding Wire (CO₂wire)

SPECIFICATION

ANSI/AWS A5.18ER70S-6, DIN8559 SG2, JIS Z 3312 YGW 12

REGULAR SIZE (mm)

0.80,0.90,1.00,1.20, 1.60

PACKING

15/20 Kg Spools

APPLICATION

- Automobile
- Pressure Vessel
- Construction & Engineering
- Containers
- Ship Building

Spring Steel Wire



Spring Wire

SPECIFICATION

JIS G3521 SWA/B/C, Black/Galvanised

REGULAR SIZE (mm)

0.30-0.70

PACKING

Coils 10 - 15 Kgs/Ordinary Coil Depending on size

APPLICATION

- Toys
- Electronic (VCR,VTR) etc.
- Gas lighter
- Armouring
- Brush
- Compression Spring
- Extension Spring



Spring Wire

SPECIFICATION

JIS G3521 SWA/B/C, Black/Galvanized

REGULAR SIZE (mm)

0.71 - 11.20

PACKING

Coil 15-500 Kgs/Coil Depending on size
Former 1000 Kgs/Former for size 4.00mm & above

APPLICATION


- Mattress/ Bed
- Shock absorber
- Furniture
- Stationary
- Crimped mesh
- Rolling shutters
- Compressor
- Compression Spring
- Extension Spring

Paper Clip Wire



Paper clip wire Galv./Blk
SPECIFICATION
Customer's specification
REGULAR SIZE (mm)
0.90,0.98,1.00,1.20,1.25
PACKING
20-25 Kgs/Ordinary Coil
APPLICATION
For paper clip

ACSR Wire



ACSR Wire
SPECIFICATION
ASTM B498 Class A/BS EN 50189 ,ST1A, Customer's specification
REGULAR SIZE (mm)
1.57-2.67
PACKING
200-350 Kgs/coil-Cheese Coil Z2 Type
APPLICATION
-Zinc coated stranded steel core for aluminium conductor, steel reinforced

Baling Wire and Unitising Wire




Baling wire and Unitising wire
SPECIFICATION
Customer's specification
REGULAR SIZE (mm)
2.18,2.25,2.28,2.30,3.00,3.04,3.14
PACKING
600-800 Kgs./Coil
APPLICATION
- Cloth baling - Paper/Pulp baling

Outer Casing Wire



Outer casing wire
SPECIFICATION
JIS G3521 and Customer's specification
REGULAR SIZE (mm)
1.10-3.20
PACKING
50 Kgs./Ordinary coil 200-350 Kgs/Cheese Coil Z2 Type
APPLICATION
- Automotive control cable - Control Cable - Motorcycle/Bicycle/Tricycle

Spoke Wire



Spoke wire

SPECIFICATION

Customer's specification

REGULAR SIZE (mm)

1.96, 2.26, 3.15, 3.44

PACKING

Coil to Customer's specification

APPLICATION

- Motorcycle
- Bicycle
- Tricycle

Wire for Brushes



Wire for Brushes

SPECIFICATION

JIS G 3521

REGULAR SIZE (mm)

0.35

PACKING

Packing 10kgs./coil ordinary

APPLICATION

- Brushes